



Brief paper

Converse negative imaginary theorems[☆]Sei Zhen Khong^a, Di Zhao^{b,*}, Alexander Lanzon^c^a Department of Electrical Engineering, National Sun Yat-sen University, Kaohsiung 80424, Taiwan^b Department of Control Science and Engineering & National Key Laboratory of Autonomous Intelligent Unmanned Systems & Frontiers Science Center for Intelligent Autonomous Systems, Tongji University, Shanghai, China^c Control Systems Centre, Department of Electrical and Electronic Engineering, School of Engineering, University of Manchester, Oxford Road, Manchester M13 9PL, UK

ARTICLE INFO

Article history:

Received 1 June 2023

Received in revised form 19 November 2023

Accepted 11 March 2024

Available online 18 April 2024

Keywords:

Negative imaginary systems

Positive real systems

Linear time-invariant systems

Feedback

Robust stability

ABSTRACT

Converse negative imaginary theorems for linear time-invariant systems are derived. In particular, we provide necessary and sufficient conditions for a feedback system to be robustly stable against various types of negative imaginary (NI) uncertainty. Uncertainty classes of marginally stable NI systems and stable strictly NI systems with restrictions on their static or instantaneous gains are considered. It is shown that robust stability against the former class entails the strictly NI property, whereas the latter class entails the NI property. We also establish a non-existence result that no stable system can robustly stabilise all marginally stable NI uncertainty, thereby showing that the uncertainty class of NI systems is too large as far as robust feedback stability is concerned, thus justifying the consideration of subclasses of NI systems with constrained static or instantaneous gains.

© 2024 Elsevier Ltd. All rights reserved.

1. Introduction

In the field of robust control, converse results are intimately tied to the conservativity of robust feedback stability conditions – they show that such conditions are not conservative if robust stability against particular uncertainty classes is required. These results were first derived for the small-gain theorem on linear time-invariant (LTI) systems and μ -analysis; see Fan, Tits, and Doyle (1991), Zhou, Doyle, and Glover (1996, Theorem 9.1) and the references therein. They were further explored within the context of passivity and, more generally, the phase/angle in Chen, Chen, Zhao, Chen, and Qiu (2023), Zhao, Chen, and Chen (2023) and the integral quadratic constraints in Khong and Kao (2021, 2022). Interesting robotic applications of converse passivity theorems were described in Colgate and Hogan (1988), Khong and

van der Schaft (2018) and Stramigioli (2015). Converse results are also prevalent in the literature on the graph topology (Georgiou & Smith, 1990; Qiu & Davison, 1992; Vidyasagar, 2011; Vinnicombe, 1993; Zhao, Khong, & Qiu, 2021; Zhao, Qiu, & Gu, 2020). Recently, attempts to obtain converse results for Lur'e systems involving monotone nonlinearity with the so-called Zames–Falb multipliers have been made in Khong and Su (2021) and Su, Seiler, Carrasco, and Khong (2023), with significant breakthrough achieved in Kharitenko and Scherer (2022). The importance of converse results is hence self-explanatory given their ubiquity in the literature.

This paper is concerned with converse results for linear time-invariant negative imaginary (NI) systems. NI systems theory was first proposed by Lanzon and Petersen (2008) and was originally motivated in part by robust vibration control of flexible systems (Petersen, 2016; Petersen & Lanzon, 2010). NI theory was subsequently extended to include imaginary-axis poles (Xiong, Petersen, & Lanzon, 2010), free-body dynamics (Mabrok, Kallapur, Petersen, & Lanzon, 2014a), irrational and improper systems (Ferrante, Lanzon, & Ntogramatzidis, 2016; Ferrante & Ntogramatzidis, 2013), non-proper systems (Liu & Xiong, 2016), state-space symmetric systems (Liu, Lam, Zhu, & Kwok, 2019), discrete-time systems (Bhowmick & Lanzon, 2022; Ferrante, Lanzon, & Ntogramatzidis, 2017; Liu & Xiong, 2018; Zhang, Liu, & Lu, 2021), nonlinear and time-varying systems (Ghaffar, Mabrok, & Petersen, 2018; Kurawa, Bhowmick, & Lanzon, 2020), etc. NI theory offers a complementary robust analysis and synthesis framework (Bhowmick & Patra, 2020) to passivity and small-gain

[☆] This work was supported in part by the Engineering and Physical Sciences Research Council (EPSRC), United Kingdom [Grant Number EP/R008876/1], by the National Natural Science Foundation of China [Grant Number 62088101, 62103303], and by the China Ministry of Education Science and Technology Development Center [Grant Number 2022IT186]. All research data supporting this publication are directly available within this publication. For the purpose of open access, the authors have applied a Creative Commons Attribution (CC BY) licence to any Author Accepted Manuscript version arising. The material in this paper was not presented at any conference. This paper was recommended for publication in revised form by Associate Editor James Lam under the direction of Editor Florian Dofler.

* Corresponding author.

E-mail addresses: szkhong@mail.nsysu.edu.tw (S.Z. Khong),

dzhao925@tongji.edu.cn (D. Zhao), Alexander.Lanzon@manchester.ac.uk (A. Lanzon).

techniques. The NI notion is closely related to counterclockwise I/O dynamics (Angeli, 2006). NI theory is an energy-based technique, akin to passivity theory, with connections to Hamiltonian systems (van der Schaft, 2016), dissipativity (Bhowmick & Lanzon, 2019; Khong, Chen, & Lanzon, 2024; Lanzon & Bhowmick, 2023) and integral quadratic constraints (Khong, 2023; Khong, Petersen, & Rantzer, 2018; Zhao, Chen, & Khong, 2022).

Many practical systems possess NI properties. Inertial systems, e.g. robotic manipulators, large space structures, unmanned aerial vehicles, mobile robots, etc., driven via force (or torque) actuation and producing a colocated linear (or angular) displacement output possess NI dynamics arising from physical considerations (Petersen & Lanzon, 2010). A key benefit of NI theory is that robust stability against a class of physically motivated and physically interpretable uncertainty can be specified in terms of a simple steady-state (i.e. static) gain condition of the open-loop systems (Lanzon & Petersen, 2008). These developments have enabled NI theory to find interesting applications in many fields including multi-agent systems (Skeik & Lanzon, 2020; Wang, Lanzon, & Petersen, 2015) and nanopositioning control (Mabrok, Kallapur, Petersen, & Lanzon, 2014b; Nikooienejad & Moheimani, 2022), to mention a few.

This paper shows that there exists no stable controller that robustly stabilises all NI uncertain plants with possible poles on the imaginary axis, meaning that the full NI uncertainty class is too large for robust stability with stable controllers. Correspondingly, we derive converse results for numerous different NI uncertainty classes wherein the static and/or instantaneous gains of the systems are restricted. This is possible because some partial knowledge (e.g. a bound) of the static or the instantaneous gain is often available. For this endeavour, new stability results for the feedback interconnection of an NI system and a strictly negative imaginary (SNI) system are established. Two classes of uncertainty are the main focus in this study – marginally stable NI uncertainty and stable SNI uncertainty. In particular, we establish that in order to robustly stabilise a class of NI plants with constrained static and/or instantaneous gains, a controller must necessarily satisfy a certain NI property. In other words, the NI property is nonconservative as far as robust feedback stabilisation against NI uncertainty is concerned.

The paper has the following structure. The notation of the paper and preliminaries on systems theory are provided in Section 2. Some new direct NI results are derived in Section 3 as they will be needed in the rest of the paper. In Section 4, various converse results for NI systems are derived. The paper is concluded in Section 5.

2. Notation and preliminaries

2.1. Basic notation

Let $\mathbb{F} = \mathbb{R}$ or \mathbb{C} be the real or complex field, and \mathbb{F}^n be the linear space of n -tuples of \mathbb{F} over the field \mathbb{F} . The real and imaginary parts of a complex number $s \in \mathbb{C}$ are denoted by $\text{Re}(s)$ and $\text{Im}(s)$, respectively, and its conjugate by \bar{s} . The determinant of a matrix $A \in \mathbb{F}^{n \times n}$ is denoted by $\det(A)$, the rank by $\text{rank}(A)$, the transpose A^T , the complex conjugate transpose A^* , and the singular values $\bar{\sigma}(A) = \sigma_1(A) \geq \sigma_2(A) \geq \dots \geq \sigma_n(A) = \underline{\sigma}(A)$. When eigenvalues of A are real, denote its largest and smallest eigenvalues by $\bar{\lambda}(A)$ and $\underline{\lambda}(A)$, respectively. For $x, y \in \mathbb{F}^n$, the inner product is denoted as $\langle x, y \rangle = x^*y$, and the Euclidean norm as $\|x\| = \sqrt{\langle x, x \rangle}$. The identity matrix and zero matrix in $\mathbb{C}^{n \times n}$ are respectively denoted as I_n and O_n . A matrix is said to be Hurwitz if all of its eigenvalues are located on the open left-half complex plane. Given $A \in \mathbb{F}^{n \times n}$, let $A > 0$ ($A \geq 0$) denote A being positive (semi-)definite.




Fig. 1. A feedback system $[P, C]$.

Denote by \mathcal{L}_∞ the Lebesgue space of functions that are essentially bounded on the imaginary axis $j\mathbb{R}$. Denote by \mathcal{H}_∞ the Hardy space of functions that are holomorphic and uniformly bounded on the open right-half complex plane. The \mathcal{H}_∞ norm of a function $G \in \mathcal{H}_\infty^{n \times n}$ is defined as

$$\|G\|_\infty = \sup_{\text{Re } s > 0} \bar{\sigma}(G(s)) = \sup_{\omega \in \mathbb{R}} \bar{\sigma}(G(j\omega)).$$

Denote by $\mathcal{R}^{n \times n}$ the set of proper real-rational transfer functions and $\mathcal{RH}_\infty^{n \times n}$ the set of all real-rational members in $\mathcal{H}_\infty^{n \times n}$. A $G \in \mathcal{R}^{n \times n}$ is said to be stable if $G \in \mathcal{RH}_\infty^{n \times n}$. In what follows, the superscripts in $\mathcal{H}_\infty^{n \times n}$, $\mathcal{R}^{n \times n}$, ... will be omitted when the context is clear.

2.2. Feedback stability

Denote by $[P, C]$ the positive feedback interconnection of $P \in \mathcal{R}^{n \times n}$ and $C \in \mathcal{R}^{n \times n}$ illustrated in Fig. 1. The feedback system $[P, C]$ is said to be stable Zhou et al. (1996) if

$$\begin{bmatrix} I \\ C \end{bmatrix} (I - PC)^{-1} \begin{bmatrix} I & P \end{bmatrix} \in \mathcal{RH}_\infty^{2n \times 2n}.$$

2.3. Negative imaginary systems

The following definition of negative imaginary linear time-invariant (LTI) systems is taken from Mabrok et al. (2014a) and Lanzon and Chen (2017).

Definition 1 (Negative Imaginary Systems Lanzon & Chen, 2017; Mabrok et al., 2014a). A system $G \in \mathcal{R}^{n \times n}$ is said to be negative imaginary (NI) if:

- (i) G has no poles on the open right half plane;
- (ii) for all $\omega \in (0, \infty)$ such that $j\omega$ is not a pole of G ,
$$j(G(j\omega) - G(j\omega)^*) \geq 0;$$
- (iii) for any $\omega_0 \in (0, \infty)$, if $j\omega_0$ is a pole of G , then it is a simple pole and
$$\lim_{s \rightarrow j\omega_0} (s - j\omega_0)jG(s) \geq 0;$$
- (iv) if 0 is a pole of G , then $\lim_{s \rightarrow 0} s^k G(s) = 0$ for each integer $k \geq 3$ and
$$\lim_{s \rightarrow 0} s^2 G(s) \geq 0.$$

A strict subclass of NI systems, termed strictly negative imaginary, was defined in Lanzon and Petersen (2008) and is restated here for convenience. Its relation to several other strict subclasses, defined later in the literature, is described in Lanzon and Bhowmick (2023).

Definition 2 (Strictly NI Systems Lanzon & Petersen, 2008). A system $G \in \mathcal{RH}_\infty^{n \times n}$ is said to be strictly negative imaginary (SNI) if

$$j(G(j\omega) - G(j\omega)^*) > 0 \quad \forall \omega \in (0, \infty).$$

Next, we provide the standard definition of positive real systems (Anderson & Vongpanitlerd, 2006) for ease of reference.

Definition 3 (Positive Real Systems Anderson & Vongpanitlerd, 2006). A system $G \in \mathcal{RH}_\infty^{n \times n}$ is said to be passive (a.k.a. positive real) if

$$G(j\omega) + G(j\omega)^* \geq 0 \quad \forall \omega \geq 0,$$

and output strictly passive if there exists $\epsilon > 0$ such that

$$G(j\omega) + G(j\omega)^* \geq \epsilon G(j\omega)^* G(j\omega) \quad \forall \omega \geq 0.$$

A number of useful results from the literature are collected here because they will be used throughout this paper. Lemma 1 gives useful properties on the static (i.e. at zero frequency) and instantaneous (i.e. at infinity frequency) gains of NI systems.

Lemma 1 (Lanzon & Petersen, 2008, Lemma 2 and Lanzon & Chen, 2017, Lemma 8). Let $G \in \mathcal{RH}^{n \times n}$. Then the following statements are true.

- (a) If G is NI without poles at origin, then $G(0) = G(0)^T$, $G(\infty) = G(\infty)^T$, and $G(0) \geq G(\infty)$.
- (b) If G is SNI, then $G(0) > G(\infty)$.

Lemma 2 gives necessary and sufficient conditions for the stability of a positive feedback interconnection of an NI system without poles at the origin with an SNI system.

Lemma 2 (Lanzon & Chen, 2017, Theorem 9). Let P be NI without poles at origin and C be SNI. Then $[P, C]$ is stable if and only if

- (a) $I - P(\infty)C(\infty)$ is nonsingular;
- (b) $\bar{\lambda} \left((I - P(\infty)C(\infty))^{-1} (P(\infty)C(0) - I) \right) < 0$;
- (c) $\bar{\lambda} \left((I - C(0)P(\infty))^{-1} (C(0)P(0) - I) \right) < 0$.

Lemma 3 gives alternative necessary and sufficient conditions to those provide in Lemma 2.

Lemma 3 (Lanzon & Chen, 2017, Theorem 14). Let P be NI without poles at origin and C be SNI. Then $[P, C]$ is stable if and only if

- (a) $I - P(\infty)C(\infty)$ is nonsingular;
- (b) $\bar{\lambda} \left((P(0)C(\infty) - I)(I - P(\infty)C(\infty))^{-1} \right) < 0$;
- (c) $\bar{\lambda} \left((C(0)P(0) - I)(I - C(\infty)P(\infty))^{-1} \right) < 0$.

Lemma 4 gives necessary and sufficient conditions when the NI system is allowed to have poles at the origin. Further discussion on Lemmas 1 to 4 can be found in Lanzon and Chen (2017).

Lemma 4 (Lanzon & Chen, 2017, Theorem 24). Let P be NI and C be SNI. Let $\Psi < 0$ be such that $\bar{\lambda}(P(\infty)\Psi) < 1$. Then $[P, C]$ is stable if and only if

- (a) $I - P(\infty)C(\infty)$ is nonsingular;
- (b) $\bar{\lambda} \left((I - P(\infty)C(\infty))^{-1} (P(\infty)C(0) - I) \right) < 0$;
- (c) $\bar{\lambda} \left(\lim_{s \rightarrow 0} (I - \Psi P(\infty))(I - C(s)P(\infty))^{-1} \times (C(s)P(s) - I)(I - \Psi P(s))^{-1} \right) < 0$.

The following result is taken from Khong and Kao (2022, Proposition 1), which in turn relies on Khong and Kao (2021, Proposition 1).

Lemma 5. Let $K \in \mathcal{RH}_\infty^{n \times n}$. Then $[N, -K]$ is stable for all positive real $N \in \mathcal{RH}_\infty^{n \times n}$ if and only if K is output strictly passive. In particular, if $K(j\omega_0) + K(j\omega_0)^* \not\geq \epsilon K(j\omega_0)^* K(j\omega_0)$ for some $\omega_0 \in [0, \infty]$ and all $\epsilon > 0$, then there exists positive real $N \in \mathcal{RH}_\infty^{n \times n}$ such that $\det(I + K(j\omega_0)N(j\omega_0)) = 0$.

3. Direct negative imaginary results

We first derive some direct results on the stability of positive feedback interconnections of NI systems in this section.

The following theorem provides new necessary and sufficient conditions for the feedback stability of an NI system in positive feedback with an SNI system using a continuous deformation.

Theorem 1. Suppose P is NI without poles at the origin and C is SNI. Then, the following three statements are equivalent:

- (a) $[\tau P, C]$ is stable for all $\tau \in [0, 1]$;
- (b) for all $\tau \in [0, 1]$,

$$\begin{aligned} \det(\tau P(\infty)C(\infty) - I) &\neq 0, \\ \det(\tau P(0)C(\infty) - I) &\neq 0 \text{ and} \\ \det(\tau P(0)C(0) - I) &\neq 0; \end{aligned}$$

- (c) for all $\tau \in [0, 1]$,

$$\begin{aligned} \det(\tau P(\infty)C(\infty) - I) &\neq 0, \\ \det(\tau P(\infty)C(0) - I) &\neq 0 \text{ and} \\ \det(\tau P(0)C(0) - I) &\neq 0. \end{aligned}$$

Proof. [(a) \Leftrightarrow (b)] Note that $\tau P(s)$ is NI without poles at the origin for all $\tau \in [0, 1]$. Then,

$$\begin{aligned} \forall \tau \in [0, 1], \\ \det[\tau P(\infty)C(\infty) - I] &\neq 0, \\ \det[\tau P(0)C(\infty) - I] &\neq 0, \\ \det[\tau P(0)C(0) - I] &\neq 0. \end{aligned}$$

$$\Leftrightarrow \forall \tau \in [0, 1],$$

$$\begin{aligned} \det[I - \tau P(\infty)C(\infty)] &\neq 0, \\ \det([\tau P(0)C(\infty) - I][I - \tau P(\infty)C(\infty)]^{-1}) &\neq 0, \\ \det[(C(0)\tau P(0) - I][I - C(\infty)\tau P(0)]^{-1}) &\neq 0. \end{aligned}$$

$$\Leftrightarrow \forall \tau \in [0, 1],$$

$$\begin{aligned} [I - \tau P(\infty)C(\infty)] &\text{ is nonsingular,} \\ \bar{\lambda}([\tau P(0)C(\infty) - I][I - \tau P(\infty)C(\infty)]^{-1}) &< 0, \\ \bar{\lambda}[(C(0)\tau P(0) - I][I - C(\infty)\tau P(0)]^{-1}) &< 0. \end{aligned}$$

[This equivalence is because the eigenvalues of $X = ([\tau P(0)C(\infty) - I][I - \tau P(\infty)C(\infty)]^{-1})$ and $Y = [(C(0)\tau P(0) - I][I - C(\infty)\tau P(0)]^{-1})$ are real via (Lanzon & Chen, 2017, Lemmas 3 and 4), the conditions are obviously satisfied at $\tau = 0$, the eigenvalues of X and Y deform continuously in τ , and $\bar{\lambda}(X)$ and $\bar{\lambda}(Y)$ do not touch zero as τ increases from 0.]

$$\Leftrightarrow [\tau P, C] \text{ is stable for all } \tau \in [0, 1] \text{ via Lemma 3.}$$

This concludes the proof of (a) \Leftrightarrow (b).

The proof of (a) \Leftrightarrow (c) is similar to the proof of (a) \Leftrightarrow (b) but invokes Lemma 2 instead of Lemma 3. \square

The following result is a specialisation of Theorem 1 using conditions that are easier to check.

Theorem 2. Suppose P is NI without poles at the origin, C is SNI, and either $P(\infty) \geq 0$ or $C(\infty) \geq 0$. Then, $[P, C]$ is stable if

$$\bar{\lambda}[P(0)C(0)] < 1 \text{ and } \bar{\lambda}[P(\infty)C(\infty)] < 1.$$

Proof. We first proof the case when $P(\infty) \geq 0$. By Lemma 1 and the suppositions, we know that $C(0) = C(0)^T > C(\infty) = C(\infty)^T$ and $P(0) = P(0)^T \geq P(\infty) = P(\infty)^T \geq 0$. Therefore, via (Lanzon

& Chen, 2017, Lemma 11), $\lambda_i[P(0)C(0)] \in \mathbb{R}$, $\lambda_i[P(\infty)C(\infty)] \in \mathbb{R}$, and $\lambda_i[P(0)C(\infty)] \in \mathbb{R}$ for all i . Then,

$$\begin{aligned} \det(\tau P(\infty)C(\infty) - I) &\neq 0 \quad \forall \tau \in [0, 1] \\ \Leftrightarrow \lambda_i[P(\infty)C(\infty)] &\neq \frac{1}{\tau} \quad \forall \tau \in (0, 1], i \\ \Leftrightarrow \bar{\lambda}[P(\infty)C(\infty)] &< 1. \end{aligned}$$

Similarly,

$$\begin{aligned} \det(\tau P(0)C(0) - I) &\neq 0 \quad \forall \tau \in [0, 1] \\ \Leftrightarrow \bar{\lambda}[P(0)C(0)] &< 1 \end{aligned}$$

and

$$\begin{aligned} \det(\tau P(0)C(\infty) - I) &\neq 0 \quad \forall \tau \in [0, 1] \\ \Leftrightarrow \bar{\lambda}[P(0)C(\infty)] &< 1. \end{aligned}$$

Now, $\bar{\lambda}[P(0)C(0)] < 1 \Rightarrow P(0)^{\frac{1}{2}}C(0)P(0)^{\frac{1}{2}} < I \Rightarrow P(0)^{\frac{1}{2}}C(\infty)P(0)^{\frac{1}{2}} < I \Rightarrow \bar{\lambda}[P(0)C(\infty)] < 1$.

The conclusion then follows via Theorem 1 using its conditions (a) and (b).

The proof of the case when $C(\infty) \geq 0$ is similar to the above proof but invokes conditions (a) and (c) of Theorem 1, and exploits $C(0) = C(0)^T > C(\infty) = C(\infty)^T \geq 0$ and $P(0) = P(0)^T \geq P(\infty) = P(\infty)^T$ instead. \square

4. Converse NI results

A collection of converse results for robust feedback stability of NI systems is now derived in this section.

4.1. Uncertainty with possible poles on the imaginary axis

In this subsection, we derive converse results for uncertain NI systems with possible poles on the imaginary axis. Uncertain NI systems with possible poles at the origin are derived first, and those without poles at the origin are derived next.

4.1.1. Uncertainty with possible poles at the origin

Theorem 3 states that an SNI controller with negative static gain is necessary and sufficient for robust stability of the full class of strictly proper NI systems.

Theorem 3. Let $C \in \mathcal{RH}_{\infty}^{n \times n}$. Then the following three statements are equivalent:

- (i) $[P, C]$ is stable for all strictly proper NI $P \in \mathcal{R}^{n \times n}$;
- (ii) $[P, C]$ is stable for all strictly proper NI $P \in \mathcal{R}^{n \times n}$ that have no double poles at the origin;
- (iii) C is SNI and $C(0) < 0$.

Proof. That (i) implies (ii) is trivial. That (iii) implies (i) may be established using Lemma 4 as follows. In particular, since $P(\infty) = 0$, $[P, C]$ is stable if statement (c) of Lemma 4 holds, i.e.,

$$\bar{\lambda}\left(\lim_{s \rightarrow 0} [(C(s)P(s) - I)(I - \Psi P(s))^{-1}]\right) < 0$$

for some $\Psi \in \mathbb{R}^{n \times n}$ such that $\Psi < 0$. Note that by Lanzon and Chen (2017, Lemma 20), $P(s)(I - \Psi P(s))^{-1}$ has no pole at origin. By choosing $\Psi = C(0) < 0$, we then have

$$\begin{aligned} &\lim_{s \rightarrow 0} [(C(s)P(s) - I)(I - \Psi P(s))^{-1}] \\ &= \lim_{s \rightarrow 0} [(C(s)P(s) - \Psi P(s) + \Psi P(s) - I)(I - \Psi P(s))^{-1}] \end{aligned}$$

$$\begin{aligned} &= \lim_{s \rightarrow 0} [(C(s) - \Psi)P(s)(I - \Psi P(s))^{-1} - I] \\ &= -I. \end{aligned}$$

Therefore, we obtain

$$\bar{\lambda}\left(\lim_{s \rightarrow 0} [(C(s)P(s) - I)(I - \Psi P(s))^{-1}]\right) = -1 < 0.$$

This shows the stability of $[P, C]$, whereby (i) holds.

We establish that (ii) implies (iii) via the following three steps.

Step 1: We show in what follows that for each $\omega \in (0, \infty)$, there exists $\epsilon > 0$ (that depends on ω) such that

$$j(C(j\omega) - C(j\omega)^*) \geq \epsilon C(j\omega)^* C(j\omega). \quad (1)$$

Suppose to the contrapositive that for some $\omega_0 \in (0, \infty)$ there exists no $\epsilon > 0$ for which (1) holds. Denote by $K = jC(j\omega_0)$, which satisfies that $K + K^* \not\geq \epsilon K^* K \quad \forall \epsilon > 0$. By the necessity of Lemma 5, there exists a positive real $N \in \mathcal{RH}_{\infty}^{n \times n}$ such that $\det(I + KN(j\omega_0)) = 0$. Let

$$P(s) = \frac{\omega_0}{s} N(s).$$

It is straightforward to verify that P is NI, $P(\infty) = 0$ and $\det(I - P(j\omega_0)C(j\omega_0)) = \det(I + KN(j\omega_0)) = 0$, whereby $[P, C]$ is unstable. Therefore, by contraposition, (1) is true, which implies that $C \in \mathcal{RH}_{\infty}^{n \times n}$ is NI as well.

Step 2: We show $C(0) < 0$ next. Suppose to the contrapositive that $C(0) \not< 0$. Since C is NI by Step 1, we know that $C(0) = C(0)^T \in \mathbb{R}^{n \times n}$ by Lemma 1(a) and at least one of its eigenvalues is greater than or equal to zero, whereby it admits a real Schur decomposition $C(0) = UDU^T$ with $U^T U = I$ and D being real diagonal with $[D]_{11} \geq 0$.

In the case where $[D]_{11} = 0$, let

$$M = U \begin{bmatrix} \alpha & \\ & 0_{n-1} \end{bmatrix} U^T \geq 0$$

for some $\alpha > 0$ to be chosen later and $P = M/s$. Note that P is NI and $P(\infty) = 0$. Furthermore, let $C_1(s) = C(s) - C(0) = sE(s)$, where $E \in \mathcal{RH}_{\infty}$, and $P_1(s) = (I - P(s)C(0))^{-1}P(s)$. It may be observed that

$$(I - PC)^{-1}P = (I - P_1C_1)^{-1}P_1; \quad (2)$$

see the proof of Lanzon and Chen (2017, Lemma 18). In addition, by choosing $\alpha > 0$ so that M satisfies $\|ME(0)\| < 1$ ensures that $I - ME(0)$ is nonsingular and noting that $\lim_{s \rightarrow 0} (I - P(s)C(0))^{-1} = I$, we have

$$\begin{aligned} \lim_{s \rightarrow 0} s(I - P_1C_1)^{-1}P_1 &= (I - ME(0))^{-1} \lim_{s \rightarrow 0} sP \\ &= (I - ME(0))^{-1}M \neq 0. \end{aligned}$$

Combining this with (2), we obtain that the origin is a pole of $(I - PC)^{-1}P$, whereby $[P, C]$ is unstable.

In the case where $[D]_{11} > 0$, let $P = M/(s + 1)$ with

$$M = U \begin{bmatrix} [D]_{11}^{-1} & \\ & 0_{n-1} \end{bmatrix} U^T \geq 0.$$

One can verify that P is NI with $P(\infty) = 0$, and

$$\det(I - P(0)C(0)) = 0,$$

whereby $[P, C]$ is unstable.

Summarising the above cases, we obtain by contraposition that $C(0) < 0$.

Step 3: Finally, we show that C is SNI. Since (1) holds, it suffices to show that $C(j\omega)^* C(j\omega) > 0$, or $C(j\omega)$ is nonsingular, for any $\omega \in (0, \infty)$. Suppose to the contrapositive that for $\omega_0 \in (0, \infty)$,

$C(j\omega_0)$ is singular. It then follows from [Horn and Johnson \(1994, Theorem 1.6.6\)](#) and [Horn and Johnson \(1994, Property 1.2.5b\)](#) that

$$C(j\omega_0) = T \begin{bmatrix} 0 & \\ & D \end{bmatrix} T^*,$$

for some nonsingular $T \in \mathbb{C}^{n \times n}$ and diagonal $D \in \mathbb{C}^{(n-1) \times (n-1)}$. Denote by $T^{-*} = [t_1 \ t_2 \ \dots \ t_n]$, and let

$$M = T^{-*} \begin{bmatrix} 1 & \\ & 0_{n-1} \end{bmatrix} T^{-1} = t_1 t_1^* \geq 0.$$

Choose $\alpha, \beta \in \mathbb{R}^n$ so that $p(s) = \alpha s + \beta$ satisfies $p(j\omega_0) = t_1$. Clearly $p(j\omega)p(j\omega)^* \geq 0$ for any $\omega \in (0, \infty) \setminus \{\omega_0\}$ and $p(j\omega_0)p(j\omega_0)^* = M$. Let

$$G(s) = \frac{1}{s^2 + \omega_0^2} p(s) p^T(-s)$$

and note that

$$j(G(j\omega) - G(j\omega)^*) = 0 \text{ for all } \omega \in (0, \infty) \setminus \{\omega_0\} \text{ and}$$

$$\begin{aligned} \lim_{s \rightarrow j\omega_0} (s - j\omega_0) jG(s) &= \frac{j}{2j\omega_0} p(j\omega_0) p(j\omega_0)^* \\ &= \frac{1}{2\omega_0} M \geq 0. \end{aligned}$$

Hence G is NI. Recall from [Lanzon and Chen \(2017, Lemma 7\)](#) that G is NI if and only if $G - G(\infty)$ is NI and $G(\infty) = G(\infty)^T$. The latter implies that

$$jG(\infty) + (jG(\infty))^* = 0,$$

and hence by following the arguments in the last part of the proof of [Khong and Kao \(2022, Proposition 1\)](#), one may show that there exists positive real $N \in \mathcal{RH}_\infty$ such that $N(j\omega_0) = jG(\infty)$. Now define

$$P(s) = G(s) - G(\infty) + \frac{\omega_0}{s} N.$$

Evidently, P is NI and $P(\infty) = 0$. Moreover, since $MC(j\omega_0) = 0$, one can verify that

$$\begin{aligned} \lim_{s \rightarrow j\omega_0} (s - j\omega_0)(I - PC)^{-1}P \\ = \lim_{s \rightarrow j\omega_0} (s - j\omega_0)P = \frac{1}{2j\omega_0} M \neq 0, \end{aligned}$$

whereby $s = j\omega_0$ is a pole of $(I - PC)^{-1}P$ and $[P, C]$ is unstable. By contraposition, we must have $C(j\omega)$ is nonsingular for any $\omega \in (0, \infty)$. This completes the proof. \square

The following non-existence result is of interest because it shows that one cannot find a stable controller that achieves robust stability against the full class of NI systems without double poles at the origin. This is because the full NI class without double poles at the origin is too large, not to say the full NI class itself.

Theorem 4. *There exists no $C \in \mathcal{RH}_\infty^{n \times n}$ such that $[P, C]$ is stable for all NI $P \in \mathcal{R}^{n \times n}$ without double poles at the origin.*

Proof. We prove this via contradiction. Suppose there exists $C \in \mathcal{RH}_\infty^{n \times n}$ such that $[P, C]$ is stable for all NI $P \in \mathcal{R}^{n \times n}$ with at most simple poles at the origin. Then, by [Theorem 3](#), C is SNI with $C(0) < 0$. Choose $P(s) = C(0)^{-1}$. This choice of $P(s)$, which is NI and has no poles at the origin, results in $I - P(s)C(s)$ having a blocking zero at $s = 0$. Therefore, for this choice of $P(s)$, $[P, C]$ is not stable, which yields the required contradiction. \square

4.1.2. Uncertainty without poles at the origin

When the uncertain NI systems do not have poles at the origin, converse results may be obtained by constraining their static gains. These results are of practical value in applications where some prior knowledge such as a bound on the static gains of the uncertain NI systems is available.

For convenience, we first define the system class \mathcal{N}_0 .

Definition 4. A system $P \in \mathcal{R}^{n \times n}$ is said to belong to \mathcal{N}_0 if P is NI and has no poles at the origin.

Theorem 5. *Let $C \in \mathcal{RH}_\infty^{n \times n}$ and $\gamma > 0$. Then the following three statements are equivalent:*

- (i) $[P, C]$ is stable for all $P \in \mathcal{N}_0$ satisfying $P(0) \leq \gamma I$;
- (ii) $[P, C]$ is stable for all $P \in \mathcal{N}_0$ satisfying $0 \leq P(0) \leq \gamma I$;
- (iii) C is SNI, $C(\infty) \geq 0$ and $C(0) < \frac{1}{\gamma} I$.

Proof. That (i) implies (ii) is trivial. We then show in the following that (iii) implies (i). Let C be SNI with $C(\infty) \geq 0$ and $C(0) < \frac{1}{\gamma} I$, and $P \in \mathcal{N}_0$ with $P(0) \leq \gamma I$. By [Lemma 1](#), $C(0) > C(\infty) \geq 0$ and $P(0) \geq P(\infty)$. Hence, $C(0)^{\frac{1}{2}} P(0) C(0)^{\frac{1}{2}} \leq \gamma C(0) < I$, which implies that $\bar{\lambda}[P(0)C(0)] < 1$. Similarly, $C(\infty)^{\frac{1}{2}} P(\infty) C(\infty)^{\frac{1}{2}} \leq C(\infty)^{\frac{1}{2}} P(0) C(\infty)^{\frac{1}{2}} \leq \gamma C(\infty) < \gamma C(0) < I$, which implies that $\bar{\lambda}[P(\infty)C(\infty)] < 1$. We then conclude that $[P, C]$ is stable via [Theorem 2](#), whereby (i) holds.

Finally, we show that (ii) implies (iii) via the following three steps.

Step 1: We show that C is SNI via a contrapositive argument. Suppose C is not SNI. Then, $\exists \omega_0 \in (0, \infty), x \in \mathbb{C}^n \setminus \{0\}$ such that $x^* j[C(j\omega_0) - C(j\omega_0)^*] x \leq 0$. The inequality is equivalent to $\text{Im}(x^* C(j\omega_0) x) \geq 0$. Choose $\alpha, \beta \in \mathbb{R}^n$ such that $\alpha j\omega_0 + \beta = x$, and define $f(s) = (\alpha s + \beta) \in \mathbb{C}^n$.

For the case where $x^* C(j\omega_0) x = 0$, choose $P(s) = f(s) \frac{\epsilon}{(s^2 + \omega_0^2)} f(-s)^T$ with $\epsilon > 0$. Note that $P \in \mathcal{N}_0$ and $0 \leq P(0) \leq \gamma I$ for sufficiently small $\epsilon > 0$. Now,

$$\begin{aligned} [I - P(s)C(s)]^{-1} P(s) \\ = \left[I - \frac{f(s)\epsilon f(-s)^T}{(s^2 + \omega_0^2)} C(s) \right]^{-1} \frac{f(s)\epsilon f(-s)^T}{(s^2 + \omega_0^2)} \\ = f(s) [(s^2 + \omega_0^2)I - \epsilon f(-s)^T C(s) f(s)]^{-1} \epsilon f(-s)^T \end{aligned}$$

which clearly shows that $(I - PC)^{-1}P$ has a pole at $j\omega_0$ as $f(-j\omega_0)^T C(j\omega_0) f(j\omega_0) = x^* C(j\omega_0) x = 0$. Thus, $[P, C]$ is not stable for all $P \in \mathcal{N}_0$ satisfying $0 \leq P(0) \leq \gamma I$.

Next, consider the case where $x^* C(j\omega_0) x \neq 0$. Choose $r > 0$ and $\theta \in [0, \pi]$ such that $re^{j\theta} = x^* C(j\omega_0) x$. Let

$$\begin{aligned} a \in \begin{cases} \left(\omega_0, \frac{\omega_0 |\beta|}{\sqrt{|\beta|^2 - \gamma r}} \right) & \text{when } |\beta|^2 > \gamma r, \\ (\omega_0, \infty) & \text{otherwise,} \end{cases} \\ b \in \left(\frac{\omega_0 |\beta|}{\sqrt{|\beta|^2 + \gamma r}}, \omega_0 \right), \\ c \in \left(0, \frac{\gamma r \omega_0}{|\beta|^2} \right), \\ d \in \begin{cases} \left(\omega_0, \frac{\omega_0 |\beta|}{\sqrt{|\beta|^2 - \gamma r \cos \theta}} \right) & \text{when } |\beta|^2 > \gamma r \cos \theta, \\ (\omega_0, \infty) & \text{otherwise,} \end{cases} \end{aligned}$$

and $e \in \left(\frac{\omega_0 |\beta|}{\sqrt{|\beta|^2 - \gamma r \cos \theta}}, \omega_0 \right)$ for $\theta \in \left(\frac{\pi}{2}, \pi \right)$. Define

$$p(s) = \begin{cases} \frac{(a^2 - \omega_0^2)}{r(s^2 + a^2)} & \text{when } \theta = 0, \\ \frac{(\omega_0^2 - b^2)}{r(s^2 + b^2)} & \text{when } \theta = \pi, \\ \frac{c\omega_0}{r(s^2 + cs + \omega_0^2)} & \text{when } \theta = \frac{\pi}{2}, \\ \frac{(d^2 - \omega_0^2) \sec \theta}{r(s^2 + (d^2 - \omega_0^2) \frac{\tan \theta}{\omega_0} s + d^2)} & \text{when } \theta \in \left(0, \frac{\pi}{2} \right), \\ \frac{(e^2 - \omega_0^2) \sec \theta}{r(s^2 + (e^2 - \omega_0^2) \frac{\tan \theta}{\omega_0} s + e^2)} & \text{when } \theta \in \left(\frac{\pi}{2}, \pi \right). \end{cases}$$

Evidently, $p(j\omega_0)x^*C(j\omega_0)x = 1$. Observe that $p(s)$ is NI without poles at the origin and has relative degree 2. Let $P(s) = f(s)p(s)f(-s)^T$ and note that $P \in \mathcal{N}_0$ and satisfies $0 \leq P(0) \leq \gamma I$. Since, by construction, $[I - P(j\omega_0)C(j\omega_0)]x = 0$, whereby $\det[I - P(j\omega_0)C(j\omega_0)] = 0$, it follows that $[P, C]$ is not stable for all $P \in \mathcal{N}_0$ satisfying $0 \leq P(0) \leq \gamma I$. This completes the proof that C must be SNI.

Since C is SNI, it follows that $C(0) = C(0)^T \in \mathbb{R}^{n \times n}$ and $C(\infty) = C(\infty)^T \in \mathbb{R}^{n \times n}$ via Lemma 1.

Step 2: We show that $C(0) < \frac{1}{\gamma}I$ via a contrapositive argument. Suppose that $C(0) \not< \frac{1}{\gamma}I$. Then, $\lambda[C(0)] \geq \frac{1}{\gamma}$. Choose $P(s) = \frac{1}{\lambda[C(0)]}I$ and note that $P \in \mathcal{N}_0$ and satisfies $0 \leq P(0) \leq \gamma I$. Since, by construction, $\det[I - P(0)C(0)] = 0$, it follows that $[P, C]$ is not stable for all $P \in \mathcal{N}_0$ satisfying $0 \leq P(0) \leq \gamma I$. This completes the proof that $C(0) < \frac{1}{\gamma}I$.

Step 3: We now show that $C(\infty) \geq 0$ via a contrapositive argument. Suppose $C(\infty) \not\geq 0$. Then, $\lambda[C(\infty)] < 0$. Choose $P(s) = \frac{s}{\lambda[C(\infty)](s+1)}I_n$. Note that $P \in \mathcal{N}_0$ and satisfies $0 \leq P(0) \leq \gamma I$. Since, by construction, $\det[I - P(\infty)C(\infty)] = 0$, it follows that $[P, C]$ is not stable for all $P \in \mathcal{N}_0$ satisfying $0 \leq P(0) \leq \gamma I$. This completes the proof that $C(\infty) \geq 0$.

The above three steps together show (iii), which completes the proof. \square

The next result restricts the instantaneous gain of the uncertain plants but imposes no limitation on the instantaneous gain of the controller.

Theorem 6. Let $C \in \mathcal{RH}_\infty^{n \times n}$ and $\gamma > 0$. Then $[P, C]$ is stable for all $P \in \mathcal{N}_0$ satisfying $P(\infty) \geq 0$ and $P(0) < \gamma I$ if and only if C is SNI and $C(0) \leq \frac{1}{\gamma}I$.

Proof. (Sufficiency) Let C be SNI with $C(0) \leq \frac{1}{\gamma}I$ and $P \in \mathcal{N}_0$ with $P(\infty) \geq 0$ and $P(0) < \gamma I$. By Lemma 1, $P(0) \geq P(\infty) \geq 0$ and $C(0) > C(\infty)$. Thus, $P(\infty)^{\frac{1}{2}}C(\infty)P(\infty)^{\frac{1}{2}} \leq P(\infty)^{\frac{1}{2}}C(0)P(\infty)^{\frac{1}{2}} \leq \frac{1}{\gamma}P(\infty) \leq \frac{1}{\gamma}P(0) < I$, which implies that $\lambda(P(\infty)C(\infty)) < 1$. Likewise, $P(0)^{\frac{1}{2}}C(0)P(0)^{\frac{1}{2}} \leq \frac{1}{\gamma}P(0) < I$, whereby $\lambda(P(0)C(0)) < 1$. Stability of $[P, C]$ thus follows from Theorem 2.

(Necessity) The same arguments from the proof for that (ii) implies (iii) in Theorem 5 are applicable here, since the $P \in \mathcal{N}_0$ constructed therein additionally satisfies $P(0) < \gamma I$ and $P(\infty) \geq 0$. \square

4.2. Stable SNI uncertainty

In this subsection, converse results involving stable uncertain SNI systems are obtained.

Theorem 7. Let $C \in \mathcal{RH}_\infty^{n \times n}$. Then $[P, C]$ is stable for all SNI $P \in \mathcal{RH}_\infty^{n \times n}$ satisfying $P(\infty) \geq 0$ if and only if C is NI and $C(0) \leq 0$.

Proof. (Sufficiency) It follows from Lemma 1 that $P(0) > P(\infty) \geq 0$ and $0 \geq C(0) \geq C(\infty)$. Consequently, one can verify for all $\tau \in [0, 1]$, $i \in \{1, 2, \dots, n\}$ that

$$\begin{aligned} \lambda_i(\tau P(\infty)C(\infty) - I) &\leq -1, \\ \lambda_i(\tau P(\infty)C(0) - I) &\leq -1 \text{ and} \\ \lambda_i(\tau P(0)C(0) - I) &\leq -1, \end{aligned}$$

whereby the stability of $[\tau P, C]$ follows by Theorem 1.

(Necessity) First, we show that C is NI via a contrapositive argument. Suppose C is not NI. Then, $\exists \omega_0 \in (0, \infty)$, $x \in \mathbb{C}^n \setminus \{0\}$ such that $x^*j[C(j\omega_0) - C(j\omega_0)^*]x < 0$. This is equivalent to $\text{Im}(x^*C(j\omega_0)x) > 0$. Choose $\alpha, \beta \in \mathbb{R}^n$ such that $\alpha j\omega_0 + \beta = x$, and define $f(s) = (\alpha s + \beta) \in \mathbb{C}^n$. Let $r > 0$ and $\theta \in (0, \pi)$ be such that $re^{j\theta} = x^*C(j\omega_0)x$. Fix $\gamma > 0$, and let

$$\begin{aligned} c &\in \left(0, \frac{\gamma r \omega_0}{|\beta|^2} \right), \\ d &\in \begin{cases} \left(\omega_0, \frac{\omega_0 |\beta|}{\sqrt{|\beta|^2 - \gamma r \cos \theta}} \right) & \text{when } |\beta|^2 > \gamma r \cos \theta, \\ (\omega_0, \infty) & \text{otherwise,} \end{cases} \end{aligned} \tag{3}$$

and $e \in \left(\frac{\omega_0 |\beta|}{\sqrt{|\beta|^2 - \gamma r \cos \theta}}, \omega_0 \right)$ when $\theta \in \left(\frac{\pi}{2}, \pi \right)$.

Define

$$p(s) = \begin{cases} \frac{c\omega_0}{r(s^2 + cs + \omega_0^2)} & \text{when } \theta = \frac{\pi}{2}, \\ \frac{(d^2 - \omega_0^2) \sec \theta}{r(s^2 + (d^2 - \omega_0^2) \frac{\tan \theta}{\omega_0} s + d^2)} & \text{when } \theta \in \left(0, \frac{\pi}{2} \right), \\ \frac{(e^2 - \omega_0^2) \sec \theta}{r(s^2 + (e^2 - \omega_0^2) \frac{\tan \theta}{\omega_0} s + e^2)} & \text{when } \theta \in \left(\frac{\pi}{2}, \pi \right). \end{cases} \tag{4}$$

Evidently, $p(j\omega_0)x^*C(j\omega_0)x = 1$. Observe that $p(s)$ is SNI and has relative degree 2. Let $P(s) = f(s)p(s)f(-s)^T$ and note that P is SNI with $P(\infty) \geq 0$. Since, by construction, $[I - P(j\omega_0)C(j\omega_0)]x = 0$, whereby $\det[I - P(j\omega_0)C(j\omega_0)] = 0$, it follows that $[P, C]$ is not stable. This shows by contraposition that C must be NI.

Second, we show that $C(0) \leq 0$. Suppose to the contrapositive that $C(0) \not\leq 0$. Since C is NI, we know that $C(0) = C(0)^T \in \mathbb{R}^{n \times n}$ by Lemma 1(a) and at least one of its eigenvalues is greater than zero, whereby it admits a real Schur decomposition $C(0) = UDU^T$ with $U^T U = I$, D being real diagonal and $[D]_{11} > 0$. Let $P = \frac{1}{s+1}M$ with

$$M = U \begin{bmatrix} [D]_{11}^{-1} & \\ & I_{n-1} \end{bmatrix} U^T \geq 0.$$

Note that P is SNI with $P(\infty) \geq 0$, and

$$\det(I - P(0)C(0)) = 0,$$

whereby $[P, C]$ is unstable. By contraposition we know $C(0) \leq 0$. This completes the proof. \square

We validate the correctness and demonstrate the usefulness of Theorem 7 with the following example. Suppose we wish to robustly stabilise all SNI systems $P \in \mathcal{RH}_\infty$ satisfying $P(\infty) \geq 0$ with a constant feedback controller $C(s) = \alpha$, $\alpha \in \mathbb{R}$, then by Theorem 7 we know that $\alpha \leq 0$ is necessary and sufficient. The sufficiency for robust stability can be easily verified using classical NI systems theory (e.g. Lemma 3). On the other hand, to more intuitively understand the necessity, instead of using the proof of Theorem 7, we note the following observations. Let a subset of the above SNI systems be characterised by

$$\mathcal{S} = \left\{ P(s) = \frac{1}{s + \beta} : \beta > 0 \right\}.$$

Then for any $P \in \mathcal{S}$, we have

$$[1 - P(s)C(s)]^{-1} = \frac{s + \beta}{s + \beta - \alpha},$$

which is stable if and only if $\beta - \alpha > 0$. Since $\beta > 0$ is arbitrary, it follows that $[P, C]$ is robustly stable for all $P \in \mathcal{S}$ if and only if $\alpha \leq 0$. This thus demonstrates the necessity of the condition $\alpha \leq 0$ as well as the validity of [Theorem 7](#) for this specific example.

Next, we also limit the static gain of the uncertain plant set and hence relax the static gain of the controller.

Theorem 8. *Let $C \in \mathcal{RH}_\infty^{n \times n}$ and $\gamma > 0$. Then $[P, C]$ is stable for all SNI $P \in \mathcal{RH}_\infty^{n \times n}$ satisfying $P(\infty) \geq 0$ and $P(0) \leq \gamma I$ if and only if C is NI and $C(0) < \frac{1}{\gamma}I$.*

Proof. (Sufficiency) The sufficiency proof follows by a similar routine to the proof for [Theorem 5](#) with an application of [Theorem 2](#).

(Necessity) First, we show that C is NI via a contrapositive argument. Suppose C is not NI. Then, $\exists \omega_0 \in (0, \infty), x \in \mathbb{C}^n \setminus \{0\}$ such that $x^*[C(j\omega_0) - C(j\omega_0)^*]x < 0$. This is equivalent to $\text{Im}(x^*C(j\omega_0)x) > 0$. Choose $\alpha, \beta \in \mathbb{R}^n$ such that $\alpha j\omega_0 + \beta = x$, and define $f(s) = (\alpha s + \beta) \in \mathbb{C}^n$. Choose $r > 0$ and $\theta \in (0, \pi)$ such that $re^{j\theta} = x^*C(j\omega_0)x$. Let $c, d, e, p(s)$ be defined in [\(3\)](#) and [\(4\)](#). Clearly, $p(s)$ is SNI and has relative degree 2. Let $P(s) = f(s)p(s)f(-s)^T$ and it holds that P is SNI with $P(\infty) \geq 0$. Additionally, one may verify that $P(0) \leq \gamma I$. Since, by construction, $[I - P(j\omega_0)C(j\omega_0)]x = 0$, whereby $\det[I - P(j\omega_0)C(j\omega_0)] = 0$, it follows that $[P, C]$ is not stable. This shows by contraposition that C must be NI.

Second, similarly to the proof of [Theorem 5](#), we show that $C(0) < \frac{1}{\gamma}I$ via a contrapositive argument. Suppose that $C(0) \not< \frac{1}{\gamma}I$. Then, $\lambda[C(0)] \geq \frac{1}{\gamma}$. Choose $P(s) = \frac{1}{\lambda[C(0)](s+1)}I$ and note that P is SNI, which satisfies $P(0) \leq \gamma I$ and $P(\infty) \geq 0$. Since, by construction, $\det[I - P(0)C(0)] = 0$, it follows that $[P, C]$ is not stable. This shows by contraposition that $C(0) < \frac{1}{\gamma}I$. \square

Finally, we remove the restriction on the instantaneous gains of the uncertain plant set and instead impose the corresponding restriction on the instantaneous gain of the controller.

Theorem 9. *Let $C \in \mathcal{RH}_\infty^{n \times n}$ and $\gamma > 0$. Then the following three statements are equivalent:*

- (i) $[P, C]$ is stable for all SNI $P \in \mathcal{RH}_\infty^{n \times n}$ satisfying $P(0) \leq \gamma I$;
- (ii) $[P, C]$ is stable for all SNI $P \in \mathcal{RH}_\infty^{n \times n}$ satisfying $0 \leq P(0) \leq \gamma I$;
- (iii) C is NI, $C(\infty) \geq 0$, and $C(0) < \frac{1}{\gamma}I$.

Proof. That (i) implies (ii) is trivial. That (iii) implies (i) can be shown by a similar routine to the proof for [Theorem 5](#) with an application of [Theorem 2](#).

We next show that (ii) implies (iii) in what follows. By [Theorem 8](#), C is NI and $C(0) < \frac{1}{\gamma}I$. It thus suffices to show that $C(\infty) \geq 0$. Suppose to the contrapositive that $C(\infty) \not\geq 0$. Then, $\lambda[C(\infty)] < 0$. Choose $P(s) = \frac{s}{\lambda[C(\infty)](s+1)}I_n$. Note that P is SNI and satisfies $0 \leq P(0) \leq \gamma I$. Since, by construction, $\det[I - P(\infty)C(\infty)] = 0$, it follows that $[P, C]$ is not stable. This shows by contraposition that $C(\infty) \geq 0$, which completes the proof. \square

5. Conclusions

Robust feedback stability against various uncertainty classes of NI systems was studied. It was shown that there exists no stable controller that may stabilise all NI plants possibly with marginally

stable poles on the imaginary axis. In other words, the uncertainty set of all such NI plants is overly large for any strongly stabilising controller to exist. By constraining the static (i.e. $\omega = 0$) and instantaneous (i.e. $\omega = \infty$) gains of the uncertain NI or SNI plants, it was established that in order for a controller to be robustly stabilising, it must exhibit a certain type of NI property.

The converse results obtained in this paper signify that the NI property is nonconservative within the context of robustly stabilising NI uncertain systems. Since NI uncertainty naturally arises in various physical systems with collocated force actuators and displacement sensors, these results motivate and justify NI controller synthesis, a future research direction of great interest and practical values.

References

- Anderson, B. D. O., & Vongpanitlerd, S. (2006). *Network analysis and synthesis: A modern systems theory approach*. New York, NY: Dover.
- Angeli, D. (2006). Systems with counterclockwise input-output dynamics. *IEEE Transactions on Automatic Control*, 51(7), 1130–1143.
- Bhowmick, P., & Lanzon, A. (2019). Output strictly negative imaginary systems and its connections to dissipativity theory. In *Proc. IEEE conf. on decision and contr. (CDC)* (pp. 6754–6759).
- Bhowmick, P., & Lanzon, A. (2022). On discrete-time output negative imaginary systems. *IEEE Control Systems Letters*, 6, 1124–1129.
- Bhowmick, P., & Patra, S. (2020). Solution to negative-imaginary control problem for uncertain LTI systems with multi-objective performance. *Automatica*, 112, Article 108735.
- Chen, C., Chen, W., Zhao, D., Chen, J., & Qiu, L. (2023). A cyclic small phase theorem. arXiv preprint arXiv:2312.00956.
- Colgate, J. E., & Hogan, N. (1988). Robust control of dynamically interacting systems. *International Journal of Control*, 48(1), 65–88.
- Fan, M. K. H., Tits, A. L., & Doyle, J. C. (1991). Robustness in the presence of mixed parametric uncertainty and unmodeled dynamics. *IEEE Transactions on Automatic Control*, 36(1), 25–38.
- Ferrante, A., Lanzon, A., & Ntogramatzidis, L. (2016). Foundations of not necessarily rational negative imaginary systems theory: Relations between classes of negative imaginary and positive real systems. *IEEE Transactions on Automatic Control*, 61(10), 3052–3057.
- Ferrante, A., Lanzon, A., & Ntogramatzidis, L. (2017). Discrete-time negative imaginary systems. *Automatica*, 79, 1–10.
- Ferrante, A., & Ntogramatzidis, L. (2013). Some new results in the theory of negative imaginary systems with symmetric transfer matrix function. *Automatica*, 49(7), 2138–2144.
- Georgiou, T. T., & Smith, M. C. (1990). Optimal robustness in the gap metric. *IEEE Transactions on Automatic Control*, 35(6), 673–686.
- Ghaleb, A. G., Mabrok, M. A., & Petersen, I. R. (2018). Extending negative imaginary systems theory to nonlinear systems. In *Proc. 57th IEEE conf. decision and control (CDC)* (pp. 2348–2353).
- Horn, R. A., & Johnson, C. R. (1994). *Topics in matrix analysis*. Cambridge University Press.
- Kharitenko, A., & Scherer, C. W. (2022). On the exactness of a stability test for Lur'e systems with slope-restricted nonlinearities. arXiv preprint arXiv:2210.14992.
- Khong, S. Z. (2023). Feedback stability of generalised positive real and negative imaginary systems. *IEEE Transactions on Automatic Control*, 68(10), 6285–6290.
- Khong, S. Z., Chen, C., & Lanzon, A. (2024). Feedback stability analysis via dissipativity with dynamic supply rates. *Automatica*, under review.
- Khong, S. Z., & Kao, C.-Y. (2021). Converse theorems for integral quadratic constraints. *IEEE Transactions on Automatic Control*, 66(8), 3695–3701.
- Khong, S. Z., & Kao, C.-Y. (2022). Addendum to “converse theorems for integral quadratic constraints”. *IEEE Transactions on Automatic Control*, 67(1), 539–540.
- Khong, S. Z., Petersen, I. R., & Rantzer, A. (2018). Robust stability conditions for feedback interconnections of distributed-parameter negative imaginary systems. *Automatica*, 90, 310–316.
- Khong, S. Z., & Su, L. (2021). On the necessity and sufficiency of the Zames-Falb multipliers for bounded operators. *Automatica*, 131, Article 109787.
- Khong, S. Z., & van der Schaft, A. (2018). On the converse of the passivity and small-gain theorems for input–output maps. *Automatica*, 97, 58–63.
- Kurawa, S., Bhowmick, P., & Lanzon, A. (2020). Negative imaginary theory for a class of linear time-varying systems. *IEEE Control Systems Letters*, 5(3), 1001–1006.

- Lanzon, A., & Bhowmick, P. (2023). Characterization of input-output negative imaginary systems in a dissipative framework. *IEEE Transactions on Automatic Control*, 68(2), 959–974.
- Lanzon, A., & Chen, H.-J. (2017). Feedback stability of negative imaginary systems. *IEEE Transactions on Automatic Control*, 62(11), 5620–5633.
- Lanzon, A., & Petersen, I. R. (2008). Stability robustness of a feedback interconnection of systems with negative imaginary frequency response. *IEEE Transactions on Automatic Control*, 53(4), 1042–1046.
- Liu, M., Lam, J., Zhu, B., & Kwok, K.-W. (2019). On positive realness, negative imaginarity, and \mathcal{H}_∞ control of state-space symmetric systems. *Automatica*, 101, 190–196.
- Liu, M., & Xiong, J. (2016). On non-proper negative imaginary systems. *Systems & Control Letters*, 88, 47–53.
- Liu, M., & Xiong, J. (2018). Bilinear transformation for discrete-time positive real and negative imaginary systems. *IEEE Transactions on Automatic Control*, 63(12), 4264–4269.
- Mabrok, M. A., Kallapur, A. G., Petersen, I. R., & Lanzon, A. (2014a). Generalizing negative imaginary systems theory to include free body dynamics: Control of highly resonant structures with free body motion. *IEEE Transactions on Automatic Control*, 59(10), 2692–2707.
- Mabrok, M. A., Kallapur, A. G., Petersen, I. R., & Lanzon, A. (2014b). Spectral conditions for negative imaginary systems with applications to nano-positioning. *IEEE/ASME Transactions on Mechatronics*, 19(3), 895–903.
- Nikooienejad, N., & Moheimani, S. O. R. (2022). Convex synthesis of SNI controllers based on frequency-domain data: MEMS nanopositioner example. *IEEE Transactions on Control Systems Technology*, 30(2), 767–778.
- Petersen, I. R. (2016). Negative imaginary systems theory and applications. *Annual Reviews in Control*, 42, 309–318.
- Petersen, I. R., & Lanzon, A. (2010). Feedback control of negative-imaginary systems. *IEEE Control Systems Magazine*, 30(5), 54–72.
- Qiu, L., & Davison, E. J. (1992). Feedback stability under simultaneous gap metric uncertainties in plant and controller. *Systems & Control Letters*, 18(1), 9–22.
- Skeik, O., & Lanzon, A. (2020). Robust output consensus of homogeneous multi-agent systems with negative imaginary dynamics. *Automatica*, 113, 108799 (1–9).
- Stramigioli, S. (2015). Energy-aware robotics. In *Mathematical control theory I: Nonlinear and hybrid control systems* (pp. 37–50). Springer.
- Su, L., Seiler, P., Carrasco, J., & Khong, S. Z. (2023). On the necessity and sufficiency of discrete-time O’Shea–Zames–Falb multipliers. *Automatica*, 150, Article 110872.
- van der Schaft, A. (2016). Interconnections of input-output Hamiltonian systems with dissipation. In *Proc. 55th IEEE conference on decision and control* (pp. 4686–4691).
- Vidyasagar, M. (2011). *Control system synthesis: A factorization approach*. Cambridge, MA: Morgan & Claypool Publishers.
- Vinnicombe, G. (1993). Frequency domain uncertainty and the graph topology. *IEEE Transactions on Automatic Control*, 38(9), 1371–1383.
- Wang, J., Lanzon, A., & Petersen, I. R. (2015). Robust cooperative control of multiple heterogeneous negative-imaginary systems. *Automatica*, 61, 64–72.
- Xiong, J., Petersen, I. R., & Lanzon, A. (2010). A negative imaginary lemma and the stability of interconnections of linear negative imaginary systems. *IEEE Transactions on Automatic Control*, 55(10), 2342–2347.
- Zhang, Q., Liu, L., & Lu, Y. (2021). Robustness analysis of the feedback interconnection of discrete-time negative imaginary systems via integral quadratic constraints. *International Journal of Control*, 94(10), 2775–2782.
- Zhao, D., Chen, C., & Chen, J. (2023). Small gain and small angle conditions for feedback stability analysis of linear stochastic systems. *IEEE Transactions on Automatic Control*, <http://dx.doi.org/10.1109/TAC.2023.3324262>.
- Zhao, D., Chen, C., & Khong, S. Z. (2022). A frequency-domain approach to nonlinear negative imaginary systems analysis. *Automatica*, 146, Article 110604.
- Zhao, D., Khong, S. Z., & Qiu, L. (2021). Stabilization of cascaded two-port networked systems with simultaneous nonlinear uncertainties. *Automatica*, 123, Article 109360.

Zhao, D., Qiu, L., & Gu, G. (2020). Stabilization of two-port networked systems with simultaneous uncertainties in plant, controller, and communication channels. *IEEE Transactions on Automatic Control*, 65(3), 1160–1175.

Zhou, K., Doyle, J. C., & Glover, K. (1996). *Robust and optimal control*. Upper Saddle River, NJ: Prentice-Hall.



China. He is now with the Department of Electrical Engineering, National Sun Yat-sen University, Taiwan. His research interests include network control, robust control, systems theory, and optimisation.



University at the end of 2020, where he is now an Associate Professor of Department of Control Science and Engineering. His research interests include networked control systems, robust control, safety control, complex systems, nonlinear systems, and phase theory.



Ltd., Kirkop, Malta; Yaskawa Denki (Tokyo) Ltd., Saitama-Ken, Japan; and National ICT Australia Ltd., Canberra ACT, Australia. In 2006, he joined the University of Manchester, Manchester, UK, where he now holds the Chair in Control Engineering. His research interests include the fundamentals of feedback control theory, negative imaginary systems theory, robust control, nonlinear control (via input–output methods), and applying robust control methods to robotic, UAV, and mechatronic applications.

Prof. Lanzon is a Fellow of the Institute of Mathematics and its Applications, the Institute of Measurement and Control and the Institution of Engineering and Technology. He is currently an Associate Editor of the *IEEE Control Systems Letters* (L-CSS). He served as an Associate Editor of the *IEEE Transactions on Automatic Control* from 2012 to 2018, and as a Subject Editor of the *International Journal of Robust and Nonlinear Control* from 2012 to 2015.

Sei Zhen Khong received the Bachelor of Electrical Engineering degree (with first class honours) and the Ph.D. degree in Electrical Engineering from the University of Melbourne, Australia, in 2008 and 2012, respectively. He held research positions at the Department of Electrical and Electronic Engineering, University of Melbourne, Australia, Department of Automatic Control, Lund University, Sweden, Institute for Mathematics and its Applications, University of Minnesota Twin Cities, USA, and Department of Electrical and Electronic Engineering, University of Hong Kong, China. He is now with the Department of Electrical Engineering, National Sun Yat-sen University, Taiwan. His research interests include network control, robust control, systems theory, and optimisation.

Di Zhao received his B.E. degree in electronics and information engineering from Huazhong University of Science and Technology in 2014. He received his Ph.D. degree in electronic and computer engineering from the Hong Kong University of Science and Technology (HKUST) in 2019. From Aug. 2018 to Jan. 2019, he was a visiting student researcher at Lund University. After shortly working as a post-doctoral researcher with HKUST at the end of 2019, he was a researcher with the Cyber-Physical Systems Laboratory at HKUST Shenzhen Research Institute in 2020. He joined Tongji University at the end of 2020, where he is now an Associate Professor of Department of Control Science and Engineering. His research interests include networked control systems, robust control, safety control, complex systems, nonlinear systems, and phase theory.

Alexander Lanzon received his Ph.D. degree in Control Engineering and his M.Phil. degree in Robot Control from the University of Cambridge, Cambridge, UK, in 2000 and 1997 respectively and received his B.Eng.(Hons). degree in Electrical and Electronic Engineering from the University of Malta, Msida, Malta, in 1995.

He has held research and academic positions at Georgia Institute of Technology, Atlanta GA, USA, and the Australian National University, Canberra ACT, Australia, and industrial positions at ST-Microelectronics