

**MT1612: EXAMPLE SHEET<sup>1</sup> VII (for May 5, 1999)**

- 1.) Given the vectors  $\mathbf{a} = (1, 2, 3)$ ,  $\mathbf{b} = (3, 2, 1)$  and  $\mathbf{c} = (1, 1, 2)$  find
- (i) the angle between  $\mathbf{a}$  and  $\mathbf{b}$ .
  - (ii) the area of the parallelogram spanned by  $\mathbf{a}$  and  $\mathbf{b}$ .
  - (iii) a unit normal to  $\mathbf{a}$  and  $\mathbf{b}$ .
  - (iv) the volume of the cuboid spanned by  $\mathbf{a}$ ,  $\mathbf{b}$  and  $\mathbf{c}$ .
  - (v) Do the vectors  $\mathbf{a}$ ,  $\mathbf{b}$  and  $\mathbf{c}$  form a right handed system?
- 2.) The position vectors of the four points A, B, C and D are given by  $\mathbf{a} = (1, 1, 1)$ ,  $\mathbf{b} = (3, 4, 5)$ ,  $\mathbf{c} = (2, 1, 9)$  and  $\mathbf{d} = (5, 7, 9)$ , respectively.
- (i) Write down the vector equations of the lines  $\mathbf{l}_1$  and  $\mathbf{l}_2$  through AB and CD, respectively.
  - (ii) Do the two lines intersect the plane  $z = 0$  and, if so, at what points?
  - (iii) Do the lines intersect each other and, if so, where?

---

<sup>1</sup>Any feedback to: *M.Heil@maths.man.ac.uk*